Information sheet H₂ breath test

Your personal appointment on	for the diagnosis of a
☐ Lactose intolerance (lactose)	☐ Sorbitol intolerance (sorbitol)
☐ Fructose malabsorption (fructose)	☐ Bacterial miscolonisation (glucose)

Test procedure

- The total duration of the H2 breath test is approx. 2.5 hours.
- Only <u>one</u> specific test (lactose, fructose, sorbitol or glucose) may be carried out per day.
- There must be an interval of at least 3 days between 2 specific tests.
- 25 g fructose (2.1 BE) is used for the fructose test, 50 g lactose (4.2 BE) for the lactose test, and 50 g glucose (4.2 BE) for the glucose test.
- Minimum age: 6 years

Attention: If a hereditary fructose intolerance exists, a fructose test is contraindicated!

Possible side effects

Nausea, feeling of fullness, stomach aches, bloating, intestinal sounds, diarrhoea

Preparation

- 1. 4 weeks before the test: no antibiotics and no colonoscopy
- 2. The day before: at mealtimes, only the specified foods are permitted; you may not consume foods/beverages that are not listed and may not chew chewing gum.
 - until 10:00: Bread roll/mixed wheat and rye bread (no wholemeal bread), butter/margarine, ham, egg, tea/coffee (without milk)
 - <u>until 14:30:</u> Rice, meat/fish/eggs, small quantities of steamed courgettes/tomatoes, vegetable oils, seasoning: only salt and pepper, drinks: only tap water
 - <u>until 18:30:</u> Rice, meat/fish/eggs, vegetable oils, seasoning: only salt and pepper, drinks: only tap water
 - after 18:30: do not eat or drink anything more except tap water
 - twelve hours before start of test: do not smoke
- 3. On the day of the examination: you must not eat or drink anything except tap water; it is necessary to brush your teeth at home!

Costs per test (lactose, fructose, sorbitol or glucose)

€84 incl. 10% VAT (prices valid until 31.12.2024). Please note that the additional services requested by you cannot be settled with your social insurance agency and must therefore be paid for privately. If you fail to show up to the appointment or cancel the test while underway, show up not on an empty stomach or otherwise unprepared and if the test is no longer possible as a result, you will still be charged for the test. The test procedure and possible side effects have been explained to you. Please ask us if there is anything you do not understand. If an intolerance is proven to exist, we recommend a subsequent dietary consultation (here at the Allergy Centre). If you continue to have symptoms, an evaluation from a gastroenterologist is recommended.

√ienna,	Date -	Signature of patient or legal guardian (if one parent is signing by themselves, they declare with their signature that they have sole custody or that they are acting in agreement with the other parent).